ASTONLOUIS PARQUET

The Best Boutique Parquet In The World

Frances Chevron

www.astonlouis.com

info@astonlouis.com

We always listen to all needs to personalize our products. Our philosophy is the fact that we blend and maintain the quality of old craftsmanship with a modern and creative approach for many years.Although the process methods have changed and developed according to the past, our love for this valuable material has remained unchanged from the past to the present and this passion has enabled us to enrich the wood products we produce. The roots of our company are proof of the values that characterize our products and the way we work. This adventure, which we started with a small workshop in 1963, has led our company to establish a boutique Laminate flooring production facilities in 2018 with its experience and knowledge gained through the production of wooden parquet for many years.We produce safe and durable wooden floors and take care not to harm the nature.Wooden floors are our passion, our philosophy is the high quality of our work. We are trying to design the colors and textures that protect the original smell and feel of the wood. We prefer raw materials produced from recyclable forests to produce such valuable products for our customers.









FRANCES CHEVRON

8 mmX 140 mm X 565 mm AC.4. 4V

Aston Louis FrancesChevron laminate flooring is designed to give the same effectas real solid woodflooring. AstonLouis FrancesChevron Laminate flooring has a modern structure that makes it striking, uniqueand remarkable than standard and flat laminateflooring.

The Aston Louis Frances Chevron laminate collection is alternative Chevron engineering floor collection. It has AC4 commercial classes, so it can be used in truly demanding and commercial buildings, and is more than suitable for any home. Ideal for a lounge,kitchen, dining room or hallway.Especially Frances Chevron Laminate flooring decors are surelywill create a chat environment


HOME CREDIT BANK
Smart QR
Бөліп төлеу




HOME CREDIT BANK
Smart QR
Бөліп төлеу





ENGLİSH ROBOSTO


ENGLİSH DARK


ENGLİSH NATUR


BRERA


NİTRO DARK


NİTRO GREY


VERSAİLLES


ENGLİSH LİGHT


HAVANNA



FEATURES OF ASTONLOUİS LAMİNATED PARQUETS

Abrasion Resistance
Suitable for underfloor heating
Natural
Easy Cleaning
Stain-Proof
Stratch-Proof
Suitable for home,Office and workplaces
Light-Resistance
Non-carcionogenic substances(E1 standard)



ASTON LOUİS PARQUET LAMİNAT LAYERS

1.OVERLAY: Film layer impregnated with aluminum oxide and melamine resin.
Thanks to aluminum oxide, it has gained resistance against abrasion, scratching and heat.
In addition, melamine resin which melts and hardens during pressing reduces the adhesion of dirt and stains on the surfaces, helps easy cleaning and provides hygiene.
2.DECOR PAPER :It is obtained by transmitting one-to-one photographs of natural trees to special papers by high-tech methods
3.HDF :High density, non-carcinogenic substance (E1 standard) and moisture resistant fiber board.
4.BALANCE PAPER:Produced from paper obtained from high stabilized wood type fibers,impregnated with melamine resin,Moisture resistance.its a layer that provides Parquet boards.Paraffin:Paraffin is applied to the lock edges of the parquets during production and and creates film layer. It makes the joints of the panels more resistant to moisture.

ASTON LOUİS PARQUET OFFERS GUARANTEES FROM THE DATE OF PURCHASE AND THEESE ARE;

It is offer for 10-year to 25-year warranty, depending on the product group when it is installed in residences. Aston Louis Laminate Flooring has a 10 year guarantee for business places. The following warranty terms valid for Aston Louis Laminate Flooring: Our warranty covers home and commercial applications and applies only to the mentioned items.
(hygiene, impact resistance, long life), But; When installed in commercial areas, separate warranty period is offered, maximum for 10 years. AstonLouis Laminate Flooring should be used for its intended purpose and in accordance with the maintenance instructions. Parquets should not be subjected to extraordinary mechanical stresses, which are not suitable for normal use.Or must not be cleaned incorrectly. The warranty is non-transferable, only to the first purchaser has guarentee and applies to the initial application of Aston Louis Laminate Flooring. Laminate Flooring should be installed to suitable areas.
Laminate Flooring should be installed in accordance with the installation manual. Failure to comply with these terms will void all warranty claims. Wear; means that the decor layer must be completely raised in at least one location, and that it must be clearly visible, in an area of at least 1cm^2. Small traces of use on the surface of the laminate flooring do not constitute damage. Damage caused by sharp-edged objects and tips is not covered by the warranty. The height of falling objects must not exceed 90cm. Objects weight should not exceed 0.5 kg.

MAİNTANENCE AND PROTECTİON OF ASTONLOUİS LAMİNAT PARQUETS

Never apply in damp or wet environments.Since the closed surface of Astonlouis laminate flooring generally prevents dirt from penetrating deep into the flooring.Cleaning AstonLouis parquet with water can cause undesirable swelling of parquets.When -you are choosing your cleaning products be sure they are not contains oil and wax.Unlike solid parquets, oil and wax penetrate the surface of the laminate flooring and remain a thin layer on the Parquet.This film may cause unwanted fine cracks on the surface and may show footprints
For regular maintenance of AstonLouis laminate flooring, it is necessary to periodically vacuum your laminate and wipe it with a dry cloth.If necessary, you can wipe the floor every two weeks with a damp cloth.Use laminate flooring cleaning material, then rinse the cloth thoroughly, and then wipe the floor with a dry cloth.When using a solvent or condensed cleaning solution, read the safety recommendations first!(Never use bleach)
Below you will find recommendations for removing stains on Astonlouis Laminate flooring.
Gum and wax stains can be removed using a plastic scraper (not sharp).After the stain hardens from Laminat flooring.
Removal of stains from fruit, milk, alcohol, rubber, plastic, heel and foodstuff from laminate; Remove the stain using a dry absorbent cloth. If the stain is dried, clean it with the appropriate cleaning solution, and then wipe it dry with a dry cloth.
Use felt bolts and rubber chair rollers for furniture legs to preserve the value of your laminate floor.Suitable for castor chairs with DIN 68131 Type ‘w’.
Room temperature should be 18-22 C, air humidity 50-60%.

The Best Boutique Parquet In The World

HEAD OFFİCE:
Soğanlık Yeni Mah.Pegagaz Sk.Pega
Kartal Kule No: 6 / A Floor:20 Office 125
Kartal/ istanbul / Türkiye

www.astonlouis.com

info@astonlouis.com